

Hailwarning Switzerland

This driver acts as a safety measure and is intended to use for the protection of shades and other equipment which could get damaged by hail. It fetches the according weather forecast/status from <https://meteo.netitservices.com>. To get a proper response an account has to be set up on: <https://www.hagelschutz-einfach-automatisch.ch/eigentuemer-verwaltungen.html>

When creating an account you receive the needed Device ID and Hardware Type ID. The polling interval is 120 seconds and the weather forecast is calculated every 5 minutes.

Properties

Driver Version

Displays the current version of the driver.

Debug Mode

When set to „Print“, additional information is displayed in the drivers Lua Output Window.

When set to „Log“ additional information is logged via Composer’s logging capabilities.

Note: After 30 minutes it is automatically set to „Off“.

Device ID

a 12-character long unique identifier.

Hardware Type ID

Identifier (integer) distinguishing the type of device. Polling starts automatically after Hardware Type ID and Device ID are entered in the corresponding fields.

Hail Status

Displays the current status. (Hail/no Hail)

Last Status update

Displays the date and time of last working status update.

Cloud Status

Displays the connection status to the DriverCentral cloud.

Automatic Updates

Enable or disable automatic driver updates.

Overview of Properties

Properties	Actions	Documentation	Lua
Cloud Settings			
Cloud Status	Showroom License Activated		
Automatic Updates	Off		
Driver Info			
Driver Version	20250429		
Debug Mode	Off		
Driver Setup			
Device ID	[REDACTED]		
Hardware Type ID	[REDACTED]		
Polling Interval	240		
Auto-rename Driver	YES		
Driver Status			
Hail Status	No Hail		
Last status update	29.04.2025 13:51:21		

Actions

Start Polling

Starts periodic polling according to set interval. Function is automatically invoked during driver initialization or when changing either Device ID or Hardwaretype ID (if both of them are not NULL).

Update Status

Directly requests status. Intended to use during setup and testing to skip polling interval.

Events

Hail Detected

Event fires when hail is detected during polling.

No Hail

Event fires when hail is no longer detected during polling.

Note: Event only fires when status changes. Doesn't fire during polling whe status remains unchanged.

Changelog

- 20250512
 - Bugfix for polling, removed individual interval
- 20250507
 - Bugfix
- 20250430
 - initial release of the driver

Support

Contact information:

Sinevo Development

development@sinevo